










This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.



		ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
	COCO MAX	A: 1 - 3 ml/L B: 1 - 3 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L
	ROOTFAST	1 ml/L	---	---	---	---
	ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
	XL	---	1 - 1,5 ml/L	1 - 1,5 ml/L	1 - 1,5 ml/L	1 - 1,5 ml/L
	PK13/14	---	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L
	B'CUZZ SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.



	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
 COCO MAX	A: 1 - 2 ml/L B: 1 - 2 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L
 ROOTFAST	1 ml/L	---	---	---	---
 ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
 XL	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L
 PK13/14	---	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L
 CALMAG	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L
 B'CUZZ SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.



**COCO
MAX**

A: 1 - 2 ml/L
B: 1 - 2 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

ROOTFAST



1 ml/L



ATAZYME

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L

BLOOMBASTIC



0,5 - 1 ml/L

0,5 - 1 ml/L

0,5 - 1 ml/L



**B'CUZZ
SILIC
BOOST**

0,1 ml/L

0,1 ml/L







0,1 ml/L

0,1 ml/L

0,1 ml/L







This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.



		ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
	COCO MAX	A: 1 - 2 ml/L B: 1 - 2 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L
	ROOTFAST	1 ml/L	---	---	---	---
	ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
	BLOOMBASTIC	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
	CALMAG	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L
	B'CUZZ SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.



		ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
	COCO MAX	A: 1 - 2 ml/L B: 1 - 2 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L
	ROOTBASTIC	0,1 - 0,3 ml/L	---	---	---	---
	ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
	XL	---	1 - 1,5 ml/L	1 - 1,5 ml/L	1 - 1,5 ml/L	1 - 1,5 ml/L
	PK13/14	---	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L
	B'CUZZ SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.



**COCO
MAX**

A: 1 - 2 ml/L
B: 1 - 2 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

ROOTBASTIC



0,1 - 0,3 ml/L



ATAZYME

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L

XL



1 - 1,5 ml/L

1 - 1,5 ml/L

1 - 1,5 ml/L

1 - 1,5 ml/L



PK13/14

1 - 2 ml/L

1 - 2 ml/L

1 - 2 ml/L

CALMAG



0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L



**B'CUZZ
SILIC
BOOST**

0,1 ml/L

0,1 ml/L

0,1 ml/L

0,1 ml/L

0,1 ml/L

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.



ROOTING
PHASE

GROWTH
PHASE

EARLY BLOOM
PHASE

BLOOM
PHASE

RIPENING
PHASE



**COCO
MAX**

A: 1 - 3 ml/L
B: 1 - 3 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

A: 3 - 4 ml/L
B: 3 - 4 ml/L

ROOTBASTIC



0,1 - 0,3 ml/L



ATAZYME

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L

BLOOMBASTIC



0,5 - 1 ml/L

0,5 - 1 ml/L

0,5 - 1 ml/L



**B'CUZZ
SILIC
BOOST**

0,1 ml/L

0,1 ml/L







0,1 ml/L

0,1 ml/L

0,1 ml/L

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.



		ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
	COCO MAX	A: 1 - 2 ml/L B: 1 - 2 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L	A: 3 - 4 ml/L B: 3 - 4 ml/L
	ROOTBASTIC	0,1 - 0,3 ml/L	---	---	---	---
	ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
	BLOOMBASTIC	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
	CALMAG	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L
	B'CUZZ SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L